

RO/MAU/P&E/ \\2/2023-24

Date - 07-12-2023

Tender for furnishing of Singera Branch, Region - Mau

Baroda UP Bank, Regional Office, Ghazipur Tiraha near Grihasth Plaza, Mau invites seal tender for furnishing for our Branch at Singera, District – Ghazipur from the empanelled furnishers of Baroda UP Bank Head Office, Buddh Vihar Taramandal Gorakhpur- 273016 (UP).

1. Tender Issuing Date

2. Last Date Of Submission Of Tender

3. Date Of Opening Of Tender

4. Tender to be address to

07-12-2023

20-12-2023 Up to 05:00PM

21-12-2023

The Regional Manager Baroda UP Bank Regional Office- Mau Ghazipur Tiraha near Grihasth Plaza

Mau- 275101 (UP)

Terms & Condition of tender:

 Rates should be quoted on the space provided in the annexure attached only. No other sheet/form should be used for quoting rates.

• Rates quoted only by Bank's empanelled Vendor will be consider/accepted.

• The competent Authority (Bank) does not bind themselves to accept the lowest or to give any reasons for its decision of acceptance or rejection of tenders.

• Incomplete in any respect or conditional tender shall liable to be rejected.

Other Conditions:

- The registration number of the along with GST no. allowed by the authorities must be submitted.
- PAN Number of the firm allotted by the income tax authorities should be submitted (without which the vendor's bid would became invalid and shall be liable to be reject).

• Conditional tenders shall not be accepted on any ground and shall be rejected straight.

• Any deviation of the conditions given by the purchaser will not be accepted and bid will be rejected without assigning any reasons.

• If any clarification is required the same should be obtained before submitting the bid.

- The Entire document must be signed with the seal and attached as a mark of acceptance of the terms & conditions.
- BUPB's reserve the right to accept or reject any bid whole or in parts without assigning any reason thereof.
- Bank's decision will be final and no correspondence will be entertained in this regard.
- In case of delay in submission/non-submission of bids, Bank will not assume any responsibility.
- Bank may reject any or all quotations without assigning any reason.





Tender Submission:

Submission of tender in sealed envelope super scribing "TENDERS FOR FURNISHING OF SINGERA BRANCH, DISTRICT – Ghazipur" addressed to Baroda UP Bank, Ghazipur Tiraha near Grihasth Plaza, Mau-275101. Complete in all respect by 05:00PM dated 20-12-2023. Tenders received after shall not be entertained.

Tender must be submitted through hand to hand or through register post only.

Evaluation Of Tender:

Quoting incredibly low value of items with the view of subverting the tender process shall be rejected straight away.

Yours Faithfully,

(Umashanker Singh) Regional Manager Baroda UP Bank Regional Office – Mau

Enclosure:- Tender documents for Interior Furnishing, Electrical Work & Data Work For Branch Singera

BARODA UP BANK REGIONAL OFFICE- MAU

TENDER DOCUMENT FOR

INTERIOR FURNISHING, ELECTRICAL & DATA
WORK FOR BRANCH AT
SINGERA, DISTRICT – Ghazipur.
AT
MAU

UTTAR PRADESH.

Date of Issue

07-12-2023

Last Date of Submission

20-12-2023 Up to 05:00 PM

Date of Opening of Tender

: 21-12-2023

ARCHITECTS

Mohit & Associates L-2/554-, Vineet Khand, Gomti Nagar, Lucknow Phnoe-9582218092, 742821659

NOTE-FOR FURNITURE WORK ONLY BANK'S EMPANELED CONTRACTOR'S CAN PARTICIPATE IN THIS TENDER.



IMPORTANT SCHEDULES

DATE OF ISSUE OF TENDER

07-12-2023

LAST DATE OF RECEIT OF TENDER:

20-12-2023 till 05:00 PM

DATE OF OPENING OF TENDER:

21-12-2023 -at 16.00hrs at RO, MAU.

EARNEST MONEY

Rs. 6,500.00

INITIAL SECURITY DEPOSIT

2.5% of the accepted Value of the Tender,

Including Earnest Money.

SIGNING OF AGREEMENT

Within 2 days of issue of letter of intent/ order

COMMENCEMENT OF WORK

Within 5 days of issue of letter of intent/ order

PERIOD OF COMPLETION

20 days from the date of issue of letter of

Intent / order

LIQUIDATED DAMAGES

RS 5,000 per week, subject to a max. of 7.5%

Of the accepted Contract Sum.

PERIOD OF RUNNING BILL

Fortnightly

RETENTION MONEY/DEPOSIT

10 % of Gross Value from Each running Bill

REFUND OF SECURITY & RETENTION

DEPOSIT

a) Initial Security Deposit- to be released within

14 days of requesting the bank after obtaining the

certificate of completion.

b) Retention Money – to be refunded 14 days

after giving in writing a request after End of Defects

Liability Period.

INCOME TAX DEDUCTION

At the Prevailing Rates from each bill

DEFECTS LIABILITY PERIOD

12 months after completion of Works

PERIOD OF FINAL MEASUREMENT

3 weeks from completion/date of submission of Final

Bill, whichever is later.



SECTION – I INVITATION TO TENDERERS



SECTION- I

1.1 Sealed tenders on item rate basis are invited in the prescribed form by the Baroda UP Bank, Regional Office, Mau.

Tender No.	Name of Work	Earnest Money	Time of Completion
CON/BUPB/FURNSH	/SINGERA Furnishing, Electrical work Branch at SINGERA, MAU	of Rs.6500/-	20 days

- 1.2 The work as detailed in this tender shall be executed and completed in all respects within the stipulated period in accordance with the Tender Document, Bill of Quantities, Drawings and Instructions, to the satisfaction of the Architects and the Employers.
- 1.3 The tenderers is required to deposit Rs-6,500/- as **Earnest Money** along with the tender in the form of crossedⁿDemand draft payable at Mau, in favor of Baroda UP Bank. The earnest money will be refunded without any interest to the unsuccessful tenderers.
- 1.4 Tenders filled in the prescribed form should reach the office of RM, Baroda UP Bank latest by Date 20-12-2023, 17:00 hrs., in sealed covers and super scribed with the name of the work and the tender No. They would be opened on 21-12-2023 in the presence of Bank officers.
- 1.5 Rate must be quoted for complete work at site inclusive of all costs, charges, taxes etc but excluding GST on WCT. All duties ,E.S.I. charges etc. as applicable at UP central or state sales Tax, Octroi, Royalties etc. on works and materials required for use in the execution of this project shall be entirely borne and payable by the contractor and the Employer will not entertain any claim whatsoever in this respect except GST on WCT
- 1.6 The tenders shall remain valid for acceptance by the Employer for a period of 3 months from the date of opening the tenders.
- 1.7 The Security amount and The Retention Money will be refunded without any interest. As per the schedule mentioned.
- 1.8 The **Defects liability period** will be 12 months from the date of completion of Work. Any defects found during this period in the various jobs executed by the contractor will have to be rectified by him, without any extra charges. In case the Employer finds that the contractor has not carried out the rectification, then he is at a liberty to get the same executed by another contractor and adjust the amount spend from the Security Deposit of the main contractor.



- The earnest money of the successful tenderers will be forfeited in the event of his refusal/delay in starting the work. The Decision of RM, Baroda UP Bank will be final in this.
- 1.10 Tender documents (complete) duly filled and signed by the tenderers shall be submitted as the tender for the work.
- 1.11 The Baroda UP Bank and the Architects, M/s Mohit & Associates do not bind themselves to accept the lowest or any tender, or to assign any reason thereof and also reserves the right of accepting the whole or part of the tender. The tenderers in such an event will be bound to perform the contract at the same rates as quoted in the tender for various works. Any item is liable for alteration at the discretion of the Architect & the Employer, if required.
- 1.12 Canvassing in any form in connection with the tender is strictly prohibited and the tenders submitted by the contractor who resorts to canvassing in any form will be liable for rejection.
- 1.13 The tendering firms, in case the tenderers is a partnership firm, shall submit the tender signed by all the partners.
- 1.14 On acceptance of the Tender, the Contractor shall intimate the name of his accredited representative who would be responsible for taking instructions from the architects and carrying out the works.
- 1.15 The successful tenderers will extend full co-operation with other contractors appointed by the employer, so that the work shall proceed smoothly. The main responsibility of the overall completion of the work in time will lie with the Furnishing Contractor.
- 1.16 The successful tenderers will need to sign the agreement, three sets, on stamp paper of Rs 100/- only. Tenderers failure to make such an agreement within the stipulated timeframe will amount to non- acceptance on his part. In this case the Employer will have the right to revoke the acceptance of tender without any further notice to the tenderers.



SECTION – II INSTRUCTIONS TO TENDERERS



SECTION II

- 2.1 The tenderers are advised to visit and inspect the site at his own cost and responsibility and to secure all necessary information which may be required for completing the tender. Ignorance of site conditions or local information shall not be considered as an excuse for non-performance of the contract or any increase in the rates quoted by him.
- 2.2 The tenderers shall examine carefully all the tender documents consisting of:
 - Invitation to Tenderers
 - Instructions to Tenderers
 - General and Special Conditions of Contract
 - Bill of Quantities
 - Set of Drawings

All the above shall form Part of the agreement.

- 2.3 Time is the essence of contract and the tenderers are required to complete the works in all respects to the satisfaction of the Architect & the Employer within the stipulated time.
- 2.4 The tender should contain the rates & the amount (both in figures and words), in the prescribed column of the BOQ. All the items should be totaled up in the end. All corrections should be duly attested by the tenderers. In case of any discrepancy between rates and amounts, the lower value will be taken for the finalizing of the tender amount.
- 2.5 It shall be clearly understood that the rates quoted in the tender are to be, for complete work at site, as per the instructions to Tenderers, Conditions of Contracts, Specifications and Drawings and also for all such works as become necessary for proper completion of works, although specific mention thereof may not have been made in the specifications or drawings of tender documents. The rates shall be firm and not subject to cost escalation on account of labor and material conditions or any other reason whatsoever.
- 2.6 The tenderers shall use only the form issued with this tender to fill up the rates.
- 2.7 Every page of the tender shall be signed on the left hand side bottom corner as a token of acceptance.
- 2.8 The Contract will be governed by the Indian Contract Act, Indian Sale of Goods Act and all other relevant Laws. All payments due to the contractor under the contract will be made in Indian Rupees Currency.



SECTION -III

FORWARDING LETTER



FROM		
TO,	RM Baroda UP Bar Regional Offic	
Ref:	Mau Tender No.	CON/BUPB/FURNSH/SINGERA

Dear Sir,

With reference to the tender invited by you, I/we hereby offer to perform, provide, execute and complete the works in conformity with conditions of contract, drawings and specifications for the respective items of schedule of quantities attached hereto.

I/we have satisfied ourselves as to the location and prevailing conditions of the site, and have read carefully the Articles of Agreement, Conditions of Contract, Specifications, General and Special Conditions, Technical Specifications, etc. I/we understand that the works are to be completed within ----days from the date of issue of letter of Intent/ Order and fully understand that time will be the essence of the contract.

I/ we enclose a demand draft for Rs. 6,500, drawn on ------, payable at MAU, in favor of Baroda UP Bank as Earnest Money and fully understand that this amount will not bear any interest.

I/we agree to keep the offer open for 90 days from the date of opening the tender.

Should this tender be accepted in whole or part, I/we herby agree to abide by and fulfill all the terms and conditions annexed hereto.

All the terms and conditions of tender have been fully read by me/us. I/we accept the same and sign hereunder in token of their acceptance.

We further enclose the following documents:-

- i) Proprietorship registration, Partnership deed, Article of Association and Power of Attorney, as applicable. We agree that no change will be made in these documents without prior approval of Baroda UP Bank
- ii) Tender document Duly signed.
- iii) Details of my firm
- iv) Latest 3 years ITR

Name of Proprietor/Partners/ Directors

Yours Faithfully

Signature of Tenderers with Official Stamp. Date:



SECTION –IV GENERAL CONDITIONS OF CONTRACT




SECTION IV

4.1 <u>DEFINATIONS</u>

In this contract, the following words and expression shall have the meaning thereby assigned to them unless the contract ascribed a different meaning

- a) **Employer** means Baroda UP Bank and includes their authorized representatives to deal with any matter on their behalf.
- b) Employer- in charge means the person appointed by the Employer and notified to the Contractor to be in charge of the project
- c) Clerk of Works means any Engineer appointed by the Employer to perform the duties of Resident Engineer, limited to Supervision of Work and notified to the Contractor to be in charge of the project
- d) Architects means the Architects Employed by Baroda UP Bank to give consultancy.
- a) Contractor means the individual, firm or Company with whom the contract is entered into and includes the heirs, executors, or successors.
- b) The expression Contract means the document forming the Tender and acceptance thereof and included all the sections of the tender including BOQ and set of drawings.
- c) **Tender** means the offer made by an individual or firm or company for execution of the works.
- d) Acceptance of Tender means the letter from the Employer communicating to the tenderer the acceptance of this tender and include the advance acceptance of his tender.
- e) **Drawings** means the drawings referred to in the tender documents including any modifications of such drawings approved in writing by the Architect or his representative and such other drawings as are made from time to time and furnished by the contractor and approved by the Architect.
- f) Site means the actual lace as described in the tender at which the execution of works is to be done with the surrounding areas.
- g) A Week shall mean 7 days without regard to the number of Hrs worked in a day in that week.
- h) **Specifications** means standard specifications for works and materials brought out in the tender, and added to or superseded by special specifications. In absence of any specifications for any item of work the relevant specifications in CPWD or IBA works Manual shall be followed and work be executed accordingly.







4.2.1 EXTENT OF CONTRACT

The contractor shall supply at his own cost all the materials like ladders, scaffoldings, temporary works that may be required for the proper execution of the works, whether original, altered or substituted works. The contractor shall also supply survey instruments and other materials necessary for purpose of setting out of works and assisting to the measurements or examination at any time.

The contractor shall also provide a sufficient portion of fencing and lights required to protect the public from accidents and shall be bound to bear any expenses of defense brought by any person for injury sustained owning to neglect of the above precautions, and to pay any damages and costs which may be awarded in any such suit, action or proceedings to any such person. In no case the Employer shall be a party to any such claim and the Contractor shall indemnify the Employer against any claim for any person on this account.

4.2.2 Sufficiency of Tender

The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the works and his prices for the work which shall cover all his obligations under the Contract and all matters and things necessary for the proper completion and maintenance of the work.

4.2.3 Sub- Letting of Contract

The contractor shall not assign the contract or any part thereof to any other party without the prior written consent of the Employer.

4.2.4 Power to Make alterations

Architect shall have the powers to make any alterations or additions to the stipulated specifications, drawings, designs and instructions that he may feel necessary or advisable during the progress of the work. The contractor shall have no claim for compensation on account of such alterations or additions. The contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Architect and such alterations shall not invalidate the Contract, and any additional work which the Contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor.

The time for completion and Costs of such additional works shall be extended in proportion to the original contract. The certificate of the Architect shall be conclusive as to such proportions.





4.2.5 Works subject to approval of Architect

All works to be executed under the contract shall be subject to approval of the Architect who shall be entitled to direct at what points and in what manner they are to be commenced.

4.2.6 Urgent repairs and Urgent Works

If by any reason, during the execution of the work or during the defects liability period, any works or repair become urgently necessary and the Contractor is unable / unwilling to do such work immediately, then the Employer may get the same done on their own and deduct the cost thus incurred from the funds due to the contractor.

4.2.7 Clearance of Site

The Contractor shall have to remove all Malbaa from site of work, dirt and dust, etc. before handing over the works to the Employer. The works shall not be treated as complete in all respects unless these requirements are fulfilled.

In the event the Contractor failing to do so the architect and the employer shall have the right to get the site cleared at the contractors risk and cost.

.4.2.8 Protection of Trees and Shrubs

Trees and Shrubs designated by the Architect shall be protected from damage during course of the work and the earth level shall not be changed within three feet of such trees.

4.3 ARCHITECTS STATUS AND DECISIONS

- a) The Architect shall have General supervision & direction of Works. He has authority on behalf of the Employer to stop the work whenever such stoppage may be necessary to ensure proper execution of the works. The Architect shall be the interpreter of the conditions of Contract and the judge of its performance.
- b) The Architect within reasonable time make decisions of all claims of the contractor and all other matters related to the execution and progress of work.

The decision of the Architect with respect to all or any of the following matters shall be final

- i) Variation/ Modification of the Design
- ii) Quality and Quantities of Works Executed
- iii) Discrepancies in the drawings and Specifications
- iv) Opening up for inspection of any work covered up.
 v) Amending of any defects occurring under Defects Liability Period
- c) The Contractor shall on the report of the Architect immediately dismiss from the works within 24 hrs any person employed thereof by him who may in the

4.4 <u>DIRECTIONS REGARDING DRAWINGS & DESIGN</u>

क्षेत्रीय कार्यालय, नरई बाँध, गृहस्थ प्लाजा के पास, मऊ-275101 Regional Office, Narae Bandh, Near Grihasth Plaza, Mau-275101 E-mail: ROMAUK@barodauprrb.co.in

opinion of the Architect/ Employer be incompetent/ misconducts himself.



- a) After signing the Contract, the Contractor will be given three sets of drawings free of charge. Additional copies if required would be made at his own costs. One set of the drawings shall be kept at the site by the contractor and available to Architect/ his representative at all times.
- b) Further drawings and Instructions including revisions, as the Architect may furnish to the contractor shall form part of this contract.
- c) Only figured dimensions and detailed drawings shall be followed. The Contractor shall verify all dimensions in the field before any work is Commenced and obtain instructions of the Architect in case of any discrepancy.

4.4.2 Action where no specifications

In case of any work for which there are no specifications in the contract, such works shall be carried out in accordance with the directions of the Architect.

4.5 <u>DIRECTIONS FOR EXECUTION OF WORKS</u>

4.5.1 Setting Out

The Contractor shall be responsible for the true and proper setting out of works. If at any time during the progress of the work any error shall appear in any part of the work, the Contractor shall rectify the errors. The checking of any setting out by the Employer/Architect shall not in any way relieve the contractor of his responsibility for the correctness thereof.

4.5.2 Engagement of labor

The Contractor shall employ labor in sufficient numbers to maintain the required rate of progress and Quality of work. No child labor will be employed by the Contractor.

The contractor shall comply with all the provisions of Minimum wages Acts, Industrial Disputes Acts, ESI Acts.

The Contractor shall indemnify the Employer against any payment to be made under And for observance of the Regulations aforesaid without prejudice to his right to claim Indemnity from his sub- contractors.

The contractor shall provide at his own cost for the protection of the works and for the Safety of those employed on works or the Public.





All arrangements for water and Power required shall be made by the Contractor at his own costs and nothing extra on this account shall be paid to him. Similarly filtered water required for drinking purposes for the laborers shall also be arranged by the Contractor at his own cost.

The contractor shall make necessary arrangements for procuring petrol/diesel for machinery or for Power generation to ensure uniform progress of work in the event of Power failure.

No extension of time of completion of the contract shall be allowed on account of Power failure.

4.5.3 Disruption of Progress

The Contractor shall give written notice to the Architect whenever progress of work likely to be delayed. The notice shall include details of the drawings or order required and of why and when it is required and of any delay likely to be suffered if it is late.

If for any reason, within reasonable time, the Architect is unable to give directions, and the work suffers, then the Architect shall take such delay into account in determining any extension of time to which the Contractor is entitled.

4.5.4 Rectification of Defects

If it appears to the Architect that any work has been executed with imperfect workmanship or inferior material, then the Contractor shall rectify/ reconstruct the part so specified.


4.5.5 Samples

Samples of all materials to be used in works, shall be submitted for approval to the Architects, within four days of commencement of Contract.

The costs for preparing samples will be borne by the contractor.

4.5.6 Inspection Of Works

All works in execution stage or executed shall be open to inspection and supervision of the Architect/ his representatives. During the Visit of the Architect, the Contractor or his representative should be available on site.





4.5.7 Preparation of Program Schedule

The contractor, in consultation with the Architect shall prepare a program schedule of the various activities, before commencing of the works.

4.5.8 Extension of Time for Completion

If the contractor shall desire an extension of the time for completion of the work, on his having been unavoidably hindered in its execution or on any other ground, he shall apply in writing to the Architect within 3 days of occurrence of such hindrance and the extension he so desires.

The Architect, in consultation with the Employer shall, if, in his opinion will authorize such extension of time as may be proper.

4.5.9 Liquidated Damages For Delay

The time and Date stipulated in the contract for the completion of the work shall be deemed to be the essence of the contract. If the contractor fails to carry out the works within the stipulated time or the extended time if given, then he shall pay to BARODA UP BANK a sum of Rs 5,000/- per week as Liquidated damages, for the period the works remain unfinished. The total amount of such a penalty shall not exceed 7.5% of the total Contract Price.

4.5.10 Defects Liability Period

The Contractor shall be responsible to make good and remedy at his own expense within such period as may be stipulated by the Employer any defects which may develop or may be noticed before the end of 12 months from the Certified Completion date and intimation of which has been send to the contractor within 7 days of the expiry of the said period.

If the Contractor, while rectifying the above defects, damages any other area of the site, will make good the related defects also at his own expense. In case he does not do so then the same would be got done by the Employer and expenses would be deducted from the amount due to the contractor.





4.6 MEASUREMENTS AND PAYMENTS

4.6.1 Final Bill.

Final bill supported with consolidated measurements of the full work executed shall be submitted by the contractor, the same will be verified by the Architect within Three weeks of Completion of Works.

After Verification, the Architect will give seven days notice to the Contractor to Countersign the bill as a token of acceptance or intimate in writing his intention to dispute. If the Contractor fails to take appropriate action within the prescribed period as above, then the bill finalized by the Architect shall be final and binding on the Contractor.

Income tax deductions will be made as per the prevailing rates from the contractor's on account bills.

4.6.2 Claim for Interest

No Claim for interest will be entertained by the Employer, with respect to any money balances as lying with the Employer.

4.6.3 Rates For Extra, Additional, Altered or Substituted works.

The rates for additional, altered or substituted work shall be worked out in accordance with the following provisions, in their respective order.

- i) If rates for similar works are directly available in the Contract for the work, the contractor is bound to carry out at the same rates as available in the contract.
- ii) If rates are not directly available in the contract, then they will be derived from the rates for a similar class of works as are specified in the contract.
- iii) If the rates cannot be determined, then the Contractor shall submit a detailed cost analysis as per market rates for same. The Architect will settle such claims.

4.7 <u>GUARANTEES</u>

4.7.1 Quality Of Work

The Contractor shall guarantee that the materials and workmanship are the best of their respective kinds for the service intended and that all items of work will be free from all inherent defects in workmanship and materials. He shall also guarantee that the works will not fail in any respect due to quality of materials, workmanship and method of construction.

The Specifications assume a proper degree of Skill on the part of the Contractor and Workmen Employed. The Contractor shall consult the Architect, whenever in his judgment variation in the methods of Construction or in the quality of material would be beneficial or necessary to fulfill the guarantee called for. Such variations may be made by the Contractor, only when authorized by the Architect.

4.7.2 Cost of Execution of work or repair, etc.





All works of repair shall be carried out by the contractor at his own expense if the necessity thereof shall in the opinion of the Architect be due to the use of materials or workmanship not in accordance with the contract or on account of neglect or failure on the part of the contractor to comply with any obligation expressed or implied on the contractor's part under the contract.

4.7.3 Remedy on Contractor's failure to carry out the works required.

If the contractor shall fail to do any such work as the aforesaid required by the Architect. The Employer shall be entitled to carry out such works at the contractor's own cost and recover the same from any money that may become due to the contractor.

4.7.4 Contract Valid during Guarantee Period

This contract shall remain valid and in force until the expiry of Guarantee Period.

4.8 RESCINDING/ TERMINATE CONTRACT

4.8.1 In any case under any clause of this contract, the contractor has rendered himself liable to pay compensation amounting to whole of his retention deposit in hands of Employer, the Architect in consultation with the Employer, on his behalf shall have power to adopt any of the following courses-

a) To rescind the contract (of which rescission notice in writing to the contractor shall be conclusive evidence)

b) To employ a contractor paid by the Employer and to supply materials to carry out the work or any part of the work, debiting the contractor with the cost of the labor and the price of the materials.

To measure up the work of the contractor and to take such part of the work of the contractor as shall be unexecuted out of his hands and to give it to another contractor to complete. In this case any expense which may incur in excess of the sum which would have been paid to the original contractor, if the whole work had been executed by him, shall be borne and paid by the original contractor and may be deducted from any money due to him by the Employer.

In the event of any of the above courses being adopted by the Architect, the Contractor will have no claim to compensation to any loss sustained by him.





4.8.2 Termination Of the Contract

If at any time after the commencement of the work the Employer for any reason whatsoever not require the whole or part thereof as specified in the tender to be carried out, Architect shall give notice in writing of the fact to the Contractor who shall have no claim to any payment or compensation whatsoever on account of any profit or advantage which would have derived from the execution of the work.

4.8.3 Jurisdiction

The contract and its operation shall be governed by the laws of India, for the time being in force. The contract shall deemed to have been entered into at Mau.

4.8.4 Bye Laws and Local Authorities

The contractor shall conform to the provisions of any Govt. Acts and regulations of Local Authorities. Contractor would pay all charges and fees for towards Stacking, etc. The Contractor shall keep the Employer indemnified against all penalties and liabilities incurred in connection with the said contract.

The contract will be governed by the Indian Contract Act, Indian Sales Act and all other relevant laws.

4.8.5 Arbitration

All disputes related to the said contract shall be referred to the arbitration of the person appointed by the Employer. All rules will be subject to Arbitration Act 1940, or any statutory modification or re-enactment thereof.

It is a term of the contract that if the Contractor does not make any demand for arbitration in writing within 30 days of receiving the intimation from the Employer that bill has been certified for Payment, the claim of the contractor will deemed to have been waived absolutely bared and the Employer shall be discharged and released of all liabilities under the contract.



SECTION -VI SPECIAL CONDITIONS OF CONTRACT



SECTION VI

6.1 <u>Insurance for Works</u>

The contractor before commencing on execution, without limiting his obligation shall insure the works against all acts of God, at his own costs and keep them insured till the completion of the project, in the joint names of the Employer and the contractor, for the full amount of the Contract.

The Contractor shall deposit the policy and receipt for the premiums with the Employer within 7 days from the date of signing of the contract. In case the Contractor fails to do so, then the Employer can make the required Policy and deduct the amount from the Contractors amount due.

6.2 Insurance in respect to damage to persons and property

The contractor shall be responsible for all injury to persons, animals or things and for all structural and decorative damage to property which may arise from the operation or neglect of himself or any other person employed by him.

The clause shall be held to include any damage to buildings whether immediately adjacent or otherwise. The Contractor shall indemnify the Employer and hold him harmless in respect of all and any expenses arising from any such injury or damage to persons or property.

The Contractor shall reinstate all damages of every sort mentioned, due to his contract work to the property of third parties.

The Employer shall be at liberty and is empowered to deduct the amount of any damage or compensation levied on him due to the negligence of the Contractor.

Such insurance will not limit or bar the liability and obligation of the contractor to deliver the works to the Employer complete in all respects as per the contract. In case of loss or damage, the money payable under any insurance shall be received and retained by the Employer until the works are finally complete and such money shall then be credited to the Contractor in final settlement of accounts.





B.O.Q OF REFURNISHING WORK BARODA UP BANK BRANCH AT SINGERA -MAU(UP)

<u></u>	B.O.Q OF REFORMISHING WORK BARODA UP BANK BRANCH AT S	INGER	A -MAU(U	P) -	
A	SCHEDULE - 'A' (FURNISHING WORK)				
S.NO.	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
1	PARTITIONS WORK				
1.1	FULL HEIGHT SOLID PARTITION / DOOR /UPS	Sq.Ft.	55.00		
	Full ht. Solid Partition up to ceiling only WITH LOUVRE: Providing and fixing solid partition, the framing shall made out of aluminium hollow section of 65mm x 37mm size 1.5mm thick of JINDAL / INDAL as internal frame structure placed horizontally & vertically at max distance of 2'-0" x 2'-0" center to center. Fixing 6 mm thick commercial ply on both sides with 1.0mm thick laminate on top of approved shade with groove pattern as per instructions of Architect. The rate shall include the cost of providing skirting of 100mm wide lined with 1mm thk laminate and providing & fixing a border at top of 100mm wide lined with 1mm thk laminate complete. Laminate Should be considered up to two or three color combination. The edge beadings with steam beach wood should be finished with melamine polish if required, frame work above false ceiling done shall not be measured but contractor may factor it while quoting there rates as measurment up to false ceiling lvl				
-	The rate inclusive of providing & fixing of required flush door of 37mm thick approx. with 1.0mm th.laminate both side with steem beech wood chowkhat of size 75mm x 65mm approx and Item includes Heavy-duty SS ball bearing butt hinges 100 x 5.5 mm (4 Nos. per shutter) with screws etc. The shade of laminate finish to be got approved from Bank. All as per the design and instructions Bank.				
	Note:- For the purpose of payment partition shall be measured including the area of door/door frames up to false ceiling heaight.				
	Framework shall be regidly secured to floor, bottom of slab & exisitng walls at $2'-0''$ c/c with dash fasteners.				
1.2	7' Height Glazed partition in Cash cabin	Co Es	125.00		
	Same as of Solid ht. partition, providing Aluminium grill jalli above 1'-0" / 3'-0" & up	Sq.Ft.	135.00		
:	to 7'-0" fixed with steam beech wood beading of finished size 1 1/2" X 1" all along the edge. All exposed woodwork to be mealamine polished. All as per the design and instruction Bank.				
1.3	4.5' Height Semi Glazed Partition manager cabin / Counter	Sq.Ft.	180.00		
	Same as above but of Low height as per design including 10mm Toughened glass with edges polished to be used. All other specs are same as of above, Edges of the partition to be covered with 3" X 1.5" Steam beech wood duly melmine polished moulding. 38mm thick flush door: wicket gate also shall be included for a measurement. All as per the design and insturction bank.				
1.4	Front Glazeing cash cabin	Sq.Ft.	15.00		
	Providing & fixing 10mm thick toughened clear float glass to shape for front side of	Jynt	13.00		
1	the cash counters including cutting the holes and providing & fixing TW beading polished and tinted to approved shade. (including SWO/Chief Cashier front Glass).				
1.5	Aluminium grill on the ceiling of Cash cabin	Co Et	25.00		
	D - TOOK VALVAL	Sq.Ft.	35.00		
1/203				<u> </u>	

S.NO	DESCRIPTION	TERTER		T	<u> </u>
	DOOR & ACCESSORIES	UNIT	QTY.	RATE	AMOUNT
2.1	Main Entrance Door with Fixed Glazing powder coated	 	 		
		Sq.Ft.	75.00		
	floatglass (3M frosted sticker) as/design with top & bottom section of 45 by 90mm, 2mm thick section of hindalco/indal anadized in anadize	1 -			
	2mm thick section of hindalco/indal anodized in approved colour with 25 micron anodizing along with SS C shaped handles of kitch				-
	anodizing along with SS C shaped handles of kitch or equivalent make along with floor spring of hemco/everite make. The item along with				
	floor spring of hemco/everite make. The item also includes door lock completed to the satisfaction of the architect.				
	the satisfaction of the architect.				
	Supplying and fixing of Dorma/GEZE Dline / Hardwyn/Godrej or approved				
2.2	equivalent Door Closer for wooden door for Cashier.		T		· · · · · · · · · · · · · · · · · · ·
	duonity	Nos	3.00		
	Supplying and fixing of martice dead, and all all	[[
2.3	Supplying and fixing of mortice door lock of hardwyn make HML-480 Lock Body 304 Stainless Stell. (in BM Cabin, Store room 0, Cook, or him by HML-480 Lock Body 304)				
	Store Footh 6. Cash cabin shall be Godrej Night latch.	Nos	2.00		
	Supplying and fixing of door stopper SS Grade 304, HESSF-2C hardwyn make.	Nos	3.00		
3	WORKING COUNTER				
	CASH COUNTERS	Rft.	- F 00		
	Toylung and fixing Uniet Cash Counter in onlik lassals of our characters.		5.00		
		İ			
1	inished with 1.0mm thick laminate of approved shade and leave the description of the leave the description of the leave the description of the leave the lea				
1.					
1"	B occurr become would engine of the 1 16" v 1" Vantian fra 1 111				
	The state of the s			.	
S	surfaces shall be finished with 1.0mm thick laminate of approved shade and colour.		}		
	Transfer and colour.				
1	no. prefabricated metal computer key board tray including drawer slides 12.5" x				
1 -	- way from it telesconic sings inclining I - brackete for				
1 -	-p- 0x000 01 41 4 Wel3 (3)26 1 -4 X Z -1 " Y Z - 5" 1 made of 10 +1 ! . 1				İ
	The same of the control of the contr				į
I ~	'wire shan have locking system and 6" long c c benek - 1 c. 1 11		1		:
			,		
	relamine polished and used 0.8 mm white laminate in internal surface. Item actudes readymade metal powder coated CPU trolley, grommet, footrest for each				
	TAGG AND PLOVIQUE BILLING STORY TORY TRANSPORT TO A STORY TO A STO				.
1:	st class seasoned country frame.				
Pa	ayment will be made only on the centerline measurement. The rate shall include				
1^	a border at top of 100mm wide lined with 1 0mm this laminate		!		·
100	mlpete.	1	1	j	ŀ



S.NO.	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
3.2	RUNNING COUNTER				
3.4		Rft.	13.00		
	Providing and fixing staff counter/SWO @ 2'-6" (750 mm) shall be made of 19mm thick ply wood and finished in 1 mm thick laminate. Working top having steam beech wood edging of size 1 ½" x 1". Vertical face shall have 19 mm thick commercial ply over pine wood framework as per requirement of design. All exposed edges of ply wood sealed with Steam beech wood beading of size ½" x ¾". All exposed surfaces shall be finished with 1.0mm thick laminate of approved shade.				
	The item includes Chest of drawers (size $1'-4'' \times 2'-0'' \times 2'-5''$) made of 19mm thick commercial ply wood having One drawers at top and a storage cabinet below having shutters of 19mm thick ply wood finished with 1.0mm thick Laminate on all sides. 1 no. prefabricated metal computer key board tray including drawer slides $12.5'' \times 22''$ tray with $14''$ telescopic slides including L – brackets for securing to the table top for each seat. All beading and exposed wood shall be melamine polished and used 0.8 mm white laminate in internal surface. Item includes $1'-3''$ high 12 mm thick toughned glass above upper tier and readymade metal powder coated CPU trolley, grommet, foot rest for each seat. All complete as per approval and instructions of the Architect / employer. The rate also include providing and fixing painting a foot rest using hard wood 100×25 mm size 1 st class seasoned country frame. Payment will be made only on the centerline measurement.				
			2		
·	The rate shall include the cost of providing skirting of 100mm wide lined with 1.0mm thk laminate and providing & fixing a border at top of 100mm wide lined with 1.0mm thk laminate comlpete.				
4	TABLE & FURNITURE				
					·
4.1	MANAGER TABLE (Size:- 6'-0" x 3'-0") ht. 2'-6"	Nos	1.00		
	Providing and fixing tables made out of 19 mm thick commercial ply over hard wood frame work finished with 1 mm thick laminate of approved shade. Top having steam beech wood edging of size 2" x 1 ¾". 10mm thick clear float glass with beveled edges shall be provided on the finished to 19mm thk Comm.ply wood of approved make cladded with 1mm thk. laminate(color with vertical grain) as per design in all visible areas. All the exposed edges to be covered with wooden steam beech lippings and mouldings duly malamine polish. The drawers to be made out of 19mm thk ply wood with 1.0 mm laminate finish in the front, and bottom to be made out of 6mm plywood and it should play in drawer sliding telescopic channels. The inside of the drawer to be used 0.8 mm laminate & Table back side wil be 1mm laminate. A leg rest to be provided duly polished made out of 3"x2" Wooden Section.	NOS	1.00		
	A shutter to be made by 19mm ply wood cladded with 1.0mm laminate. The necessary locks handles to be provided in each drawers and shutters. 3" x 1/2" wooden skiriting to be provided in all visible areas duly polished. The necessary wire managers (SS) to be provided on the tables and provision for lights to be kept if required in the front of the table. All the exposed areas to be duly malamine polished The work to be completed as per design and approval of the Bank. The table should have key board tray and CPU Trolly to be Modular. All as per the design and instructions Bank.				
	Officer TABLE (Size:- 5'-0" x 2'-6") ht. 2'-6"		T		
4.1	JRIUEF TABLE I Size: - 5'-1" v 2'-4" ¼ 0' 2"	Nos	1.00		1



s.no.	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
5	STORAGE & SIDE UNIT		<u> </u>	n	
5.1	Side Unit				
	Providing and fixing Side Unit/ Back unit 400 mm depth made out of 19mm ply wood finished with 1.0mm laminate in all exposed areas and top shall be 1 mm thick . The drawers to be made out of 19mm commercial plywood and cladded with 1.0mm laminate and bottom made out of 6mm comm ply duly painted in matching tone and it should play on drawer sliding channels . The shutters to be made out of 19mm commercial ply wood and should play on drawer sliding castors on powder coated channels. The necessary locks , handles, etc to be provided . 3" x1/2 wooden skirting to be provided duly polished as per matching tone all along the visible areas . Inside of the unit to be used 0.8 mm white laminate . All the exposed edges of the boards/ply woods to be coverd with woden lippings/mouldings duly polished all complete. The work to be completed as per approval and specification of the Architect.	NO	2.00		
5.2	Low / FULL HT cabinet	Sq.Ft.	125.00		
	Providing and fixing Full /Low height Cabiner400mm deep made out of 19mm thk plywood finished with 1.0mm laminate in all exposed areas . The Shutter to be made out of 19mm ply wood in the front cladded with 1.0mm laminate(color, vertical grain) . and bottom made out of 6mm plywood duly painted in matching tone and shelves 19mm thk comm ply wood to fixed inside storage. The shutters to be made out of 19mm ply wood . The necessary locks , handles, etc to be provided . $3^{\rm m} \times 1/2$ wooden skiritng to be provided duly polished as per matching tone all along the visible areas . Inside of the unit shall be 0.8 mm thick laminate finish . All the exposed edeges of the boards/plywoods to be coverd with wooden lippings/mouldings duly polished all complete. All as per the design and instructions Bank.				
6	OTHER MISCELLANEOUS ITEMS				
6.1	PIN UP / NOTICE BOARD				
	Providing and fixing soft board with necessary framework with 12mm BWR plywood on top 12 jolly board to be fixed finished with fabric @Rs80, with necessary mouldings duly polished along the periferi. All as per the design and instructions Bank.	NO	1.00		
~	VIDVENUO - TO COMP				
	WRITING LEDGER Providing and fiving uniting ledge and design and fiving uniting ledge and design and fiving uniting ledge and design	NO	1.00		
·	Providing and fixing writing ledge as per design minium 5 ft length made out 19mm comm. board with necessary grove patterns with 1.0mm laminate. 10mm thk machine polished glass to be provided on top of the writing ledge. Small boxes to be made out of 12mm comm. ply to be made with 1.0 mm laminate, inside enamel painted The work to be completed as per design and approval of the architect.				
6.3	Main Electrical Panel Cabinet	 			
	Providing and fixing of DB Shuttering formed of 12mm thk plywood wood on 12mm thick Gypsum board (fire Proof) with finsih as per Item no 1 for inside and out side shutters finished with laminate on outer surface with SS (4Nos) louvre perforation and necessary hardware, hinges etc complete as per details. All as per the design and instructions Bank.	Sq.Ft.	35.00		
0.7	Shutter boxing for ROLLING SHUTTER P & F shutter boxing made of 19 m.m. phenol bonded ply IS 303 grade including hatch fir				
	pulling down & up the rolling shutter. The box to be laminated with aluminium composite panel of 3.0 m.m. completed to the satisfaction of architect. Front surface will be taken for measurement only.	Sq.Ft.	70.00		

		1			
S.NO.	DESCRIPTION	UNIT	QTY.	RATE	AMOUNT
6.4	COLUMN PANELLING 7' HT ONLY & Manager cabin WALL 4.5' ONLY	Sq.Ft.	120.00		
	Fabricating and fixing wall/column paneling, the framing shall made out of aluminium hollow section of 65mm x 37mm size 1.5mm thick of JINDAL / INDAL at spacing not exceeding 600mm bothways (horizontal and vertical). Paneling framework to be secured to wall surface/column surface.Paneling framework to be clad on one side with 9mm thick ply finished with 1.0mm thk laminate including skirting of 100mm high & 12mm x 12mm groove at skirting level. All as per the design and instructions Bank.Only visible portion taken for measurement				
6.7	Suggestion Box	No	1.00		
	Providing & fixing box made up 18 mm. thk. plywood framework, 6/12 mm. thk. plywood back as required as per design. Good quality blackboard shutters should be fixed on brass hinges should be finished with 1.0 mm. thk. laminate from external side & oil paint to non laminate ed surfaces. All exposed edges of plywood should have lipping patti on it. Lipping patti should be finished with French polish on it. The cost should include necessary handles, magnetic catches, Godrej make locks etc. complete as per design.				
6.8	Cheque Drop Box	No	1.00		
:	Providing & fixing box made up 18 mm. thk. plywood framework, 6/12 mm. thk. plywood back as required as per design. Good quality blackboard shutters should be fixed on brass hinges should be finished with 1.0 mm. thk. laminate from external side & oil paint to non laminate ed surfaces. All exposed edges of plywood should have lipping patti on it. Lipping patti should be finished with French polish on it. The cost should include necessary handles, magnetic catches, Godrej make locks etc. complete as per design.				
6.7	Customer Table - (4'-0" X 2'-6")	No	1		
	Providing and making a table of over all size of top as mentioned above. It shall consist of ¾" thk. Comm. Ply top as per design (double edge on outer edge with 1 1/2" thk half moulding on the edges) supported on ¾" thk. Comm. Ply verticals.supported on wooden base (as designed by the architect). Suitable wooden moulding as architect design with mellamine shall be provided to the edge of the top. All external surfaces to be finished in 1 mm laminate. & the Internal surfaces shall be .75 mm thick laminate.				
7.7	ROLLING/ VERTICAL BLINDS	Sq.Ft.	120.00		,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Providing and fixing Roller blinds of approved design and shade by the Architect, inclass all std fittings as per manufacturer's specification. The work to be completed as per specification and approval of the architect. (approved brand Vista, Hunter Dogulus)				
	GRAND TOTAL FOR FURNISHING (A)				
	+ COT TYPING A CONTROL OF THE CONTRO				
<u> </u>	* GST EXTRA AS APPLICABLE				





1	BILL OF QUANTITY FOR ELECTRICAL WARDS FOR FURNSHING OF BARODA UP GRAMIN BANK BRANCH Particulars A - Light, Fan, 16amp/6 amp points	AT SIN	GERA -I	MAU(UP)		
1	A - Light Fan 16am-70					
1		Unit	Qty.			Amour
- 1	Supply, laying connection & testing of light for maint					
	2x1.5mmsq(2x3/.029) +1x1mmsq PVC insulated, multistrand single core					
- 1	copper conductor ERLS wire maintained, multistrand single core	1		1	ŀ	
ĺ	copper conductor FRLS wire maintaing the colour code as per direction in		ĺ			
- 1	PVC conduite of 20mm with ISI mark 1.5mm thickness to conceal in wall	1		•		
- 1	partition mending good the damage, complete with PVC circular box, bend to	1	Ī		1	
				İ		
				1	-	•
			İ		-	
		1	İ	1	ĺ	
				1	1	
1	2x2.5mmsq+1x1.5mmsq earth PVc insulated Cu. Wire from DB to switch					
]		
		İ		İ	1	
	point board (independent), 6/16 Amps plug point line are to be draw from power DB.as per DBschedule /SLD.	1.				
	one: Bb.as per beschedule /SLD.	J			j	
) li	ight point			_		
) (Ceiling fan point with step type electronic regulator	Nos.	31			
	dame as above, but for exhaust fan excluding regulator	No	8.00			
_ 9	dame as above 5A Point in the switchhoard itself	No	3.00			
) (5	ame as above Wiring for call-hell point including human	No	8.00			
V.	VIIIIg (4X4.5mmsq+1x1.5mmsq, from nower DPa) for indi-	No	1.00			
p.	ainted MS box (upto 3 independent plug points can be taken in one circuit).	No	1.00		ľ	
				1		
	Supply and installation of modular type 2 nos 6A & multi pin sockets with 2					
			1			
				Ī		
,	Tour of the Daily British Million Million for Daw Barrier and the contract of					
-	The state of the state of the same of the				İ	
		Each	6			
4	"" "" " acceptations, but, complete with all acceptation (leaning a 1- of			ı		
2>	x6A socket outlet in one circuit- from DB) (Raw power). for counter					
4						
-	unnly and installation module t				├	
sv	upply and installation modular type 16A, 5-pin socket with 16A one way					
,	THE TOUGHT IN THE DUX III DE TIYEN IN DOMINONS OF SOME I - I					
			.			
		Each				
		Each	8			
		[1		1	
be	cessories (for line printer: or optional).(upto 2 independent plug points can	1	ļ			

6	Same as serial no.1, but wiring for A/C socket by using 2*4 sq.mm.	Nos.	4		
1	PVC insulated 1100 V grade copper conductor wire and earthing		1		
	with 1*4.0 sq.mm. PVC insulated 1100 V grade copper conductor				İ
	with modules to a 4.0 has the state of the s				
	wire with modular type AC box (tiny trip type) with socket complete				
	in all respects controlled by 25/32 A SP MCB to be provided near				
	indoor unit				
					,
	C - UPS			-	
1	S/laying of 4 core 10 sq.mm PVC armoured Aluminium conductor cable from	-	ļ		
	main Panel to Away TPM Dh in the LIDC man to be feet in Drive and the				
	main Panel to 4way TPN Db in the UPS room to be laid in 25/32mm heavy	m	15		
	duty PVC conduit/ pipe & run on surface or concealed in wall/ floor/ flase	'''	'0		
	ceiling. (Finolex/Skytone/ Cable corpn.)				
2	Supply & fixing flush type Single door IP20 4way TPN distribution board for				
	regulating UPS supply complete with 63A TP MCB as incomer & 2nos, 32A				
	DP MCB as outgoings (Assumed 2nos. 5Kva UPS - one Hot & one Sb.)	Each	1		
	o or (manufacture or or one has a one ob.)				
3	Supply & laying of incoming & outgoing wiring to & from UPS with 2x		 		
i -	4.0sq.mm + 1x 1.5sq.mm (earthing) stranded Cu. wire conductor				1
	/Finaley/Anchor/Skytone) to be left in 20/05 at a first the page		_	ļ	1
ĺ	(Finotex/Anchor/Skytone) to be laid in 20/25 mm flexible PVC pipe heavy duty	m	8	ŀ	•
	to UPS incoming & from UPS outgoing to DP MCB in 16way SPN Db.				
<u> </u>					
4	Supply & fixing of 12way SPN Db flush type single door IP 20 - MDS/ Hagers/				
	Siemens complete as under	Each	1		1
	Incoming - 32A DP MCB - 1Nos.			 	
	6Nos SP 6/10A MCB of 10ka rating (MDS/ Hagers/ Siemens/ ABB)				
5	Complete Control of Control and Control of C				
9	Supply & fixing of 4nos. 6A switches & sockets (Modular)complete with				
	computer point circuit wiring with 2x2.5sq.mm + 1x 1sq.mm stranded Cu.			ľ	
	Single core Copper conductor (Finolex/Anchor/RPG) to be laid in 19mm M S	Per			
	conduit pipe heavy duty 16swg or 1" PVC casing caping vertical drops heavy	Node	8		
	duty laid & concealed in wall/ floor/ panelling/ partitions or above false ceiling	Noue		ļ	
	as per requirement. 2 Nodes per circuit		1		
	D - DISTRIBUTION MAINS				
1	S/F of 3 nos. 100Amps Kit kat set link type with heavy duty neutral link and				-
	making its connection from electronic meter c/w wooden board etc.	Set	1		
	· · · · · · · · · · · · · · · · · · ·				
2	Supply & fixing 63 amp TP Rotary switch for UPS incomer main line make	-	-		
	Havells	NO	1		
2a	Supply & fixing 63 amp sp changeover for incomer main line & Generator				
	make Havells	NO	1		
3	Main cabling work from fuse Kit kats to Panel: Supply, laying, testing &				
~	commissioning of 40 × 160g mm VI DE transit is 141				
	commissioning of 4c x 16sq. mm XLPE insulated Alumium conductor				
	armoured cables from 100A link type fuse kit kats to the incoming of the main				
	Panel including effecting proper connections with lugs. The armouring should	,			
	be connected at both ends properly with Panel body and TPN Db hody. The		.		
	cable should be laid on surface with proper clamps or laid & concealed in				
	wall/ floor/ paneling/ false ceiling complete in all respect. The work also				
	lincludes cutting charges for conduits in the Wall respect. The Work also				1.
	includes cutting chases for conduits in the wall/ floor (Without damaging the	m l	5		
	building) along with clamping the cable at every 450mm interval & finally				
	finishing the surface & matching the same with the existing surface. The rate	i			
	should include the cost of all materials, labour, T&P, taxes, levies, scaffolding				
	shifting of furniture, carting away the debris and cleaning the floor etc. The job				
	shall be complete & to the entire satisfaction of the Bank/Architect.				
	and state of the Dank/Alchitect.	I			1
	·	ĺ			ĺ
	Citoring of VI DE invited in				
4	S/ laying of XLPE insulated armoured Al. Conductor cable including cost of				
	lugs, cable glands etc.				
	4c x 10sq.mm for 4way TPN Db for PP Db	m	20		
					L




5	Supply, installtion, testing & commissioning of flush mounted 4way TPN distribution boards double door IP -42 for PP complete in all respects as under - Siemens/ MDS/ Hagers	Each	1			,
	Incomer - 63A TP MCB 10 KA Rating - (Siemens/ MDS/ Hagers/ Schnider)					
<u> </u>	neutral to be directly connected to neutral bus					
	Outgoing					
<u> </u>	R - 16/16A				<u> </u>	
	Y - 16/ 16A		_			
	B - 16/ 16A		1			
	Blanking Plates - 5nos.	 	 -	1	1	
7	Glow sign Board - Circuit wiring with 2x4sq.mm + 1x 2.5sq.mm stranded Cu. conductor (Finolex/Anchor/Skytone) to be laid in 19mm M S conduit pipe heavy duty 16swg laid & concealed in wall/ floor/ panelling/ partitions or above false ceiling as per requirement. The rates should include the cost of all materials, labour, T&P, taxes & levies, scaffolding, shifting of furniture, carting away the debris and cleaning the floor etc.The job shall be complete & to the entire satisfaction of the Bank.	ľ	6			
	F- EARTHING	 			ļ	
1	Supply, Installation, Testing and Commissioning of Maintenance Free Earthing system made up of copperbonded rod of 10 feet length,23 mm dia (Minimum copper bonding shall be 0.25mm) along with Rod-toConductor connectors, Earth enhancement material, Pit Cover and other accessories as required and as per specification and other applicable codes (include chamber for earthing, Earthing certificate to be submitted along with the bill).	lob	2			
2	Supplying, laying & fixing of 10 sq mm. copper pvc insulated wire covered with GI pipes from earthing plate to main panel.if required beyond 10m	Per M.	20			
	G - SUPPLY & FIXING ITEMS		 	 		
1	S/F 4ft 36w Led Tube light fitting - Phillips ,WIPRO make approved by Bank/ Architect	Each	28			
2	S/F of angle holder for bulbs including cost of 15 w led lamp	Each	3		 	
3	S/F of steel body wall mounted fan 5 star rating 450mm sweep with switch &socket -Bajaj/ Crompton/ Alsthom	Each	1		-	
:	Supplying & Fixing 1200mm dia Ceiling Fans 5 star rating Model Senator Max colour specified by the bank with all necessary fitting like U hook,Rod for hanging, length as/site required.	Each	12			 .
5	Supply & Fixing of Exhaust fresh air fan 300mm - Crompton Greaves/ Usha/ Khaitan/ Bajaj	Each	3			
-						
	Total Cost of works	All September	0.000	n (ich Parenty of	(A.A.	
	999 FAIMANG AFFEIDABLE	de Se Da	e dina	a dinas	8-9-6	
	Note - 1) All electrical items body earthing connections to be made properly & checked throughly.					
	2) All cable connections to be properly terminated thru lugs.		<u> </u>			·····
. No	LIST OF APPROVED MAKES/ BRANDS Description					
	Electrical Fittings		roved m			
		Philips/M	/ipro/hay	ils/crompt	оп	
2	Electrical Switches	MK In	dia/ Nort	h West		
3	Electrical Conduits(FLRS)			***		
 	Electrical Coriduits(FERS)	S	etia/ AK	3		
4	Fans	Cromp	ton/ Equ	ivalent		
E .	Electrical Wiring/ELDC		1		-	
5 Note	Electrical Wiring(FLRS)	Anchor/	Skytone/	Finolex		
	Any Other materials to be Got Approved by the Architect]			
2	In General CPWD & IS Specifications to be followed					
qĵα.	13 20 1010400					



DETAILED SPECIFICATIONS & ESTIMATE OF BARODA UP BANK BRANCH AT SINGERA -MAU(UP)

Α	DATA CABLING WORK				
S.No.	DESCRIPTION	QTY	UNIT	RATE	TOTAL
		**		(In Rs)	(In Rs)
2.2	Wiring for computer networking from I/O hub to computer workstation with UTP Cat-6 computer cable including providing ferrules at both ends and termination at both ends including providing & fixing frame for with shutter, RJ 45 outlet, faceplate and mounting box complete of modular type, This work includes providing PVC conduits (1/2", 3/4" size or as required0 in chases from the I/O hub to the point. The cost includes testing, commisioning etc complete. Note: Do not run more than 3 wire in single pipe & should be concealed.	Nos.	7		
2.3	Supply of Cat - 6 D-Link patch cord 7' 0"	Nos.	7		
2.4	Supply of Cat - 6 D-Link patch cord 3' 0"	Nos.	7		
2.5	Supply & fixing 24 Port Jack Panel Make:-D-Link	Nos.	1		
2.6	9U Rack with Glass Door, Locking system Make: APW	Nos.	1		
2.7	24PORT 10/100Mbps Switch	Nos.	1		
	GRAND TOTAL FOR LAN & TELEPHONE (C)				The Fegg Full





-17